



Dominion Veterinary Laboratories Limited

Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

Toll Free: 1.800.465.7122 - www.domvet.com

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Emergency Contact:

Chemtrec: 1-800-424-9300 (continental USA)

(1)703-527-3887 (outside continental USA)

Trade Name(s): Tartac 20 Liquid, Tartac 30 Liquid, Tartac 40 Liquid

MSDS Number: 1631

Chemical Name: Pine Tar ***Synonyms:*** Tall oil fatty acids

Prepared By: Dominion Vet labs. LTd. ***Date of Issue:*** March 27, 2013

Changes: Periodic review

2. INGREDIENTS

ACGIH OSHA

Component CAS # Percent (TLV) (PEL)

Pine tar 8016-81-7 100 NE NE

This product contains no known hazardous materials as defined by the OSHA Hazard Communication Standard 29

CFR 1910.1200.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Dark viscous liquid. During fire situations, irritating and toxic gases may be generated. Keep from sources of

ignition and strong oxidizers. Keep from entering storm or sanitary sewers, ground water, or soil. This product

will burn when exposed to heat, spark, or flames. After prolonged contact with porous materials, this product

may spontaneously oxidize (combust).

Potential Health Effects

Eye: Avoid eye contact. Irritating vapors may be formed when product is processed at high temperatures. Exposure to hot material may cause thermal burns.

Skin Contact: Avoid skin contact. Contact with product at elevated temperatures can result in thermal burns.

Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis) in susceptible individuals.

Ingestion: Ingestion of large amounts is unlikely. Ingestion of small amounts is not likely to cause acute toxicity

or internal damage.

Inhalation: Irritating vapors may be formed when product is processed at high temperatures. Avoid breathing

vapors or mists. Short-term inhalation of vapors may cause dizziness, nausea, and respiratory tract congestion in

some individuals. Single exposure is not expected to cause acute toxicity.

Chronic & Carcinogenicity: Prolong exposure to vapors or fumes generated by heating of this product may lead

to respiratory irritation with throat discomfort, coughing or breathing difficulty. Repeated exposure may lead to



Dominion Veterinary Laboratories Limited

**Quality Animal Health Pharmaceuticals - Dedicated Service
Since 1950**

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

Toll Free: 1.800.465.7122 - www.domvet.com

respiratory sensitization (asthma). No known cancer hazards.
SCC ISO Document Number: SCCF 4.2.3-2.B Tartac MSDS Page 2 of 4

4. FIRST AID MEASURES

Skin: Remove contaminated clothing and shoes. Wash skin with soap and water. Do not reuse contaminated clothing without laundering. If molten product contacts skin, cool under running stream of water. Do not attempt

to remove from skin. Removal could result in severe skin damage. Get medical attention.

Note to Physician: Material should not be forcibly pulled from skin. Mineral oil may be used to loosen the material. Then provide treatment as required for thermal burn.

Eye: Immediately flush eyes with plenty of water for at least 15 minutes. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops or persists.

If molten product contacts eyes, flush with water for at least 15 minutes and seek medical attention.

Ingestion: Product is not considered to be toxic in small amounts. Obtain medical treatment if large amounts are swallowed.

Notes to Physician: The decision whether to induce vomiting or not should be made by an attending physician. If

lavage is performed, suggest endotracheal and/or esophageal control. No specific antidote. If burn is present, treat

as any thermal burn. Specific treatment must be based on judgment of the physician in response to reactions of the patient.

Inhalation: Remove to fresh air. Restore breathing. Seek medical attention.

5. FIRE FIGHTING MEASURES

Flash Point: > 148.9°C (>300.0°F) **LEL:** NA **UEL:** NA **Auto Ignition Temperature:** 315.6°C (>600.1°F)

Use water spray, dry chemical, or carbon dioxide to extinguish fires. Use water spray to cool fire exposed containers. Water may cause foaming if used on material in bulk. Can burn in fire, releasing toxic vapors. No

known unusual hazards in a fire/explosion situation. As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate area and fight fire

from a safe distance. When product is heated to decomposition, product will emit acrid dense smoke with carbon

dioxide, carbon monoxide, trace oxides of sulfur, water and other products of combustion; possibly including formaldehyde.

6. ACCIDENTAL RELEASE MEASURES

Eliminate all sources of ignition – heat, sparks, flame, electricity, impact and friction. Protect skin and eyes from

exposure. Wear appropriate personal protective equipment specified in Section 8. Shut off leak if safe to do so.

Contain spilled material.

If a large spill, contain spilled liquid with sand or earth. If large or small, absorb spill with inert material (such as

dry sand or earth), then place in disposal container. Dispose of waste material in accordance with all local, state/provincial, and national requirements.



Dominion Veterinary Laboratories Limited

**Quality Animal Health Pharmaceuticals - Dedicated Service
Since 1950**

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

Toll Free: 1.800.465.7122 - www.domvet.com

7. HANDLING AND STORAGE

Storage Conditions: Keep container closed when not in use. Protect containers from physical damage. Control

inventory by using oldest material first. Suggest stainless steel construction for bulk storage but mild steel is

acceptable.

Handling: Individuals handling this product should wear personal protective equipment specified in Section 8.

Plant environment should include controls and equipment specified in Section 8. Avoid extreme temperatures.

8. EXPOSURE CONTROL - PERSONAL PROTECTION

Engineering Controls: Local exhaust ventilation should be provided. Design details for local exhaust ventilation

systems may be found in the latest edition of "Industrial Ventilation: A Manual of Recommended Practices"

published by the ACGIH and available at their web site, <http://www.acgih.org>. The need for local exhaust ventilation should be evaluated by a professional industrial hygienist. Local exhaust ventilation systems should be

designed by a professional engineer.

Respiratory Protection: Under normal use conditions, with adequate ventilation, no special respiratory equipment

is required. A NIOSH approved vapor respirator should be used if ventilation is not adequate.

Eye Protection: Chemical protective goggles are recommended.

SCC ISO Document Number: SCCF 4.2.3-2.B Tartac MSDS Page 3 of 4

Skin Protection: When material is heated, wear gloves to protect against thermal burns. Neoprene or nitrile rubber

coated apron or other body covering may be required if there is a possibility of regular work clothing becoming

contaminated with the product. Wear protective clothing where hot material may contact skin. All soiled or dirty

clothing and personal protective equipment should be thoroughly cleaned before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State: Dark viscous liquid **Melt Point** NA

Vapor Density (Air = 1): Unknown **Octanol/Water Partition Coefficient:** Unknown

Vapor Pressure: Negligible **Evaporation Rate BuOAC = 1:** Unknown

Odor: Characteristic pine odor **Specific Gravity:** 1.00

% Volatile by Volume: Unknown **Boiling Point:** >600°F

% Solubility (H₂O) : Negligible **pH:** Unknown

Other:

10. STABILITY AND REACTIVITY

Stability /Polymerization: Stable, hazardous polymerization will not occur.

Incompatibility (conditions to avoid): Avoid contact with strong oxidizing agents.

Hazardous Decomposition Products: Decomposition may produce normal products of combustion such as fumes,

smoke, oxides of carbon and hydrocarbons.

Special Sensitivity: None that are known.

11. TOXICOLOGICAL INFORMATION

Toxicological information has been developed for some products and may be available for this product. For available information, write to the address listed in Section 1 of this MSDS.



Dominion Veterinary Laboratories Limited

**Quality Animal Health Pharmaceuticals - Dedicated Service
Since 1950**

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

Toll Free: 1.800.465.7122 - www.domvet.com

12. ECOLOGICAL INFORMATION

No details available.

13. DISPOSAL CONSIDERATIONS

Incineration is recommended. Bury in landfill in accordance with all applicable regulations as an alternative.

Dispose waste material in accordance with all local, state/provincial, and national requirements. Empty drums

should be completely drained, properly bunged, and promptly returned to a drum reconditioner, or properly disposed of in accordance with all local, state/provincial, and national requirements.

14. TRANSPORTATION INFORMATION

Miscellaneous: The below regulations apply only when this product is shipped at a temperature of 100°C or

above. This product is not regulated when shipped under 100°C.

Product Label: Tartac 20, or Tartac 30, or Tartac 40 (depending on which product is being shipped)

D.O.T. Shipping Name: Elevated Temperature Liquid, n.o.s.

Technical Shipping Name: NA, D.O.T. Hazard Class: 9, UN Number: UN 3257, D.O.T. Label: NA, D.O.T.

Placard: HOT, Bulk Class: NA, Package Class: NA

15. REGULATORY INFORMATION

CERCLA/RCRA: No reportable or threshold planning quantities.

SARA Title III, Section 313, WHMIS, NTP, IARC, Subpart Z, 1910.119 Process Safety Management, Proposition 54 (CA), Clean Air: Not listed under any of these regulations.

TSCA: All ingredients listed on the TSCA inventory.

Canadian DSL: All ingredients listed.

HMIS®/III Rating: Health 1, Flammability 1, Physical Hazard 0, Personal Protection D (face shield & eye protection, gloves, apron)

This is recommended personal protection equipment; final personal protection equipment should be determined by

the plant safety department based on the actual conditions under which the product is used.

SCC ISO Document Number: SCCF 4.2.3-2.B Tartac MSDS Page 4 of 4

16. OTHER INFORMATION

NE = Not Established NA = Not Applicable ND = Not Determined

IMPORTANT SAFETY NOTICE: The information in the Material Safety Data Sheet relates only to the specific material(s) described

herein and does not relate to use in combination with any other material or substance or in any process. We believe that the information contained

herein is current as of the date of issue of this Material Safety Data Sheet. Since the use of this information and these opinions and the conditions of use

of this product are not within the control of Sovereign Chemical Company, it is the user's obligation to determine the conditions of safe use of the

product. Users of this product should study this Material Safety Data Sheet and become aware of the product hazards and safety information before

using the product. Users should also notify their employees, agents, and contractors of the information on this Material Safety Data Sheet and any

product hazards and safety information in order to provide safe use of this product.